

- An extremely versatile rack for restaurants, hotel kitchens, cafeterias, bakeries and hospitals.
- Available in end loading and side loading models.
- N.S.F. listed.

These racks use hi-tensile aluminum with uprights welded at top & bottom to provide extra strength.

CONSTRUCTION FEATURES INCLUDE:


- **Sides:** 0.063" thick hi-tensile aluminum with corrugations spaced on 1 1/2" centers. Bun pans can be pulled out past the halfway point without tipping over.
- **Uprights:** 2"x1"x1/8" special extruded channels.
- **Top & Bottom:** Horizontal members made from 2-3/8"x1"x1/8" special extruded channels.
- **Bolsters:** 0.125" formed aluminum welded to bottom channels to provide a strong base.
- **Casters:** 5"x1 1/4" deluxe, N.S.F. approved. All swivel.



End Loading Rack
 Model 9120-1839

END LOADING RACKS (Except as noted)

Model No.	Pan Capacity	Pan Size (Inches)	Overall Dimension (Inches)			Shipping Wt. (pounds)
			A	B	C	
			Width	Depth	Height	
9120-1839	39	18x26	20 1/2	26 1/2	69 7/16	62
9120-1831	31	18x26	20 1/2	26 1/2	57 7/16	46
9120-1822	22	18x26	20 1/2	26 1/2	42 7/16	32



CORRUGATED PANELS



WIDE OPENING RACK (For Side Loading)

Model No.	Pan Capacity	Pan SIZE (Inches)	Overall Dimension (Inches)			Shipping Wt. (pounds)
			A	B	C	
			Width	Depth	Height	
9120-W1839	39	18x26	28 1/2	18 1/2	69 7/16	50
9120-W1831	31	18x26	28 1/2	18 1/2	57 7/16	48
9120-W1822	22	18x26	28 1/2	18 1/2	42 7/16	33

Options:

1. Corner bumpers (set of 4)
2. Vertical pan stop.
3. Wheel brakes
4. Wrap around bumper
5. Polyurethane casters
6. S/S corrugated sides
7. All S/S construction

Better food service equipment — standard models and custom designs.