



**Extra heavy duty
aluminum tray drying
racks for correctional
& institutional use**



9040-HD-FR-176-1315



9047-HD-FR-264-1014

CATALOG PAGES D-29 & D-30

Extra Heavy Duty Racks with Extruded Panel Shelves (all shelves fixed)

Model Number	Tray/Pan Size (Inches)	Pan Capacity	Pan Spacing (Inches)	Number of Sections	Type of Loading	O.A. Dimensions (Inches)			Weight (Pounds)	List Price	
						D	L	H			
9040-HD-FR-264-1013	10 ¹ / ₁₆ x13 ⁷ / ₈ x1 ¹ / ₈	264	1 ¹ / ₂	3	Side	24 ³ / ₈	73 ¹ / ₄	57	229	\$3,398	
9040-HD-FR-264-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	264	1 ¹ / ₂	3	Side	24 ³ / ₈	73 ¹ / ₄	58 ¹³ / ₁₆	231	3,427	
9040-HD-FR-264-1115	11 ⁵ / ₈ x15 ¹ / ₂ x ³ / ₄	264	1 ¹ / ₂	3	Side	24 ³ / ₈	73 ¹ / ₄	61 ¹³ / ₁₆	236	3,452	
9040-HD-FR-288-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	288	1 ¹ / ₂	3	Side	24 ³ / ₈	79 ¹ / ₄	58 ¹³ / ₁₆	285	3,568	
9040-HD-FR-352-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	352	1 ¹ / ₂	4	Side	26 ¹ / ₂	73 ¹ / ₄	75 ⁵ / ₈	320	3,846	
9040-HD-FR-384-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	384	1 ¹ / ₂	4	Side	26 ¹ / ₂	79 ¹ / ₄	75 ⁵ / ₈	348	3,986	
9040-HD-FR-416-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	416	1 ¹ / ₂	4	Side	26 ¹ / ₂	85 ¹ / ₄	75 ⁵ / ₈	369	4,264	
9040-HD-FR-576-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	576	1 ¹ / ₂	4	Side	33	79 ¹ / ₄	75 ⁵ / ₈	426	5,140	
9040-HD-FR-264-1418	14 x 18	264	1 ¹ / ₂	3	Side	28 ³ / ₈	73 ¹ / ₄	70 ³ / ₁₆	235	3,846	
9040-HD-FR-264-1520	15 x 20	264	1 ¹ / ₂	3	Side	31	73 ¹ / ₄	76 ¹ / ₂	246	3,945	
9040-HD-FR-132-1622	16 x 22	132	1 ¹ / ₂	3	End	24 ³ / ₈	73 ¹ / ₄	63 ³ / ₈	228	3,774	
9040-HD-FR-132-1826	18 x 26	132	1 ¹ / ₂	3	End	26 ¹ / ₂	73 ¹ / ₄	70	228	3,424	
9040-HD-FR-120-1826	18 x 26	120	1 ¹ / ₂	3	End	26 ¹ / ₂	67 ¹ / ₄	70	237	3,182	
9040-HD-FR-96-1315	13 ⁷ / ₈ x15 ¹ / ₄ x2 ¹ / ₂ (Alladin/Tivoli)	96	3	3	Side	29 ¹ / ₈	55 ¹ / ₄	60 ³ / ₁₆	200	3,177	
9040-HD-FR-120-1315		120	3	3	Side	28 ³ / ₈	67 ¹ / ₄	60 ³ / ₁₆	210	3,490	
9040-HD-FR-132-1315		132	3	3	Side	28 ³ / ₈	73 ¹ / ₄	60 ³ / ₁₆	220	3,652	
9040-HD-FR-176-1315		176	3	4	Side	28 ³ / ₈	73 ¹ / ₄	77 ³ / ₁₆	335	3,995	
9040-HD-FR-192-1315		192	3	4	Side	28 ³ / ₈	79 ¹ / ₄	77 ³ / ₁₆	350	4,192	
9040-HD-FR-208-1315		208	3	4	Side	28 ³ / ₈	85 ¹ / ₄	77 ³ / ₁₆	365	4,283	
9040-HD-FR-216-1013	10 ¹ / ₁₆ x13 ⁷ / ₈ x1 ¹ / ₈	216	1 ¹ / ₂	3	Side	24 ³ / ₈	61 ¹ / ₄	57	201	3,269	
9040-HD-FR-216-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	216	1 ¹ / ₂	3	Side	24 ³ / ₈	61 ¹ / ₄	58 ¹³ / ₁₆	206	3,306	
9040-HD-FR-216-1115	11 ⁵ / ₈ x15 ¹ / ₂ x ³ / ₄	216	1 ¹ / ₂	3	Side	24 ³ / ₈	61 ¹ / ₄	61 ¹³ / ₁₆	210	3,344	
9040-HD-FR-160-1013	10 ¹ / ₁₆ x13 ⁷ / ₈ x1 ¹ / ₈	160	1 ¹ / ₂	4	End	26 ¹ / ₂	37 ¹ / ₄	57 ³ / ₈	220	3,152	
9040-HD-FR-160-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	160	1 ¹ / ₂	4	End	29 ¹ / ₈	37 ¹ / ₄	60 ¹ / ₈	218	3,184	
9040-HD-FR-160-1115	11 ⁵ / ₈ x15 ¹ / ₂ x ³ / ₄	160	1 ¹ / ₂	4	End	31	37 ¹ / ₄	63 ³ / ₈	224	3,217	
9040-HD-FR-168-1013	10 ¹ / ₁₆ x13 ⁷ / ₈ x1 ¹ / ₈	168	1 ¹ / ₂	3	Side	24 ³ / ₈	49 ¹ / ₄	57	185	2,967	
9040-HD-FR-168-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	168	1 ¹ / ₂	3	Side	24 ³ / ₈	49 ¹ / ₄	58 ¹³ / ₁₆	187	3,027	
9040-HD-FR-168-1115	11 ⁵ / ₈ x15 ¹ / ₂ x ³ / ₄	168	1 ¹ / ₂	3	Side	24 ³ / ₈	49 ¹ / ₄	61 ¹³ / ₁₆	189	3,184	
9040-HD-FR-216-1418	14 x 18	216	1 ¹ / ₂	3	Side	28 ³ / ₈	61 ¹ / ₄	70 ³ / ₁₆	198	3,417	
9040-HD-FR-240-1418	14 x 18	240	1 ¹ / ₂	3	Side	28 ³ / ₈	67 ¹ / ₄	70 ³ / ₁₆	215	3,504	
9040-HD-FR-40-1220	12 x 20 x 2 ¹ / ₂	40	3	2	Side	26 ¹ / ₂	37 ¹ / ₄	56 ¹ / ₄	145	2,520	
9040-HD-FR-100-1220	12 x 20 x 2 ¹ / ₂	100	3	3	Side/End	26 ¹ / ₂	67 ¹ / ₄	70 ¹ / ₄	246	3,590	
9040-HD-FR-132-1220	12 x 20 x 2 ¹ / ₂	132	3	3	Side	26 ¹ / ₂	73 ¹ / ₄	78 ³ / ₈	278	3,855	
9040-HD-FR-330-810	TEMPTECH	8 ³ / ₄ x 10 ¹ / ₂	330	3	5	Side	28 ³ / ₈	73 ¹ / ₄	75 ⁵ / ₄	248	4,527
9040-HD-FR-264-810		(2" or 2 ³ / ₄ " thick)	264	3	4	Side	28 ³ / ₈	73 ¹ / ₄	62 ¹ / ₁₆	210	4,112
9040-HD-FR-660-810		8 ³ / ₄ x 10 ¹ / ₂ x 1 ¹ / ₁₆	660	1 ¹ / ₂	5	Side	28 ³ / ₈	73 ¹ / ₄	75 ⁵ / ₈	248	4,539
9040-HD-FR-330-89		8 ⁷ / ₈ x 9 ¹ / ₂ x 2 ¹ / ₄	330	3	5	Side	28 ³ / ₈	73 ¹ / ₄	71 ³ / ₈	248	4,553
9040-HD-FR-264-1410		10 ¹ / ₁₆ x 14 x 1 ¹ / ₄	264	1 ¹ / ₂	3	Side	24 ³ / ₈	73 ¹ / ₄	57 ⁵ / ₁₆	180	3,604
9040-HD-FR-312-1014		10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	312	1 ¹ / ₂	3	Side	26 ¹ / ₂	85 ¹ / ₄	58 ¹³ / ₁₆	310	3,844
9040-HD-FR-440-1015	10 ³ / ₄ x 15 x 1 ³ / ₈	440	1 ¹ / ₂	5	End	30 ³ / ₈	73 ¹ / ₄	74	284	4,765	
9040-HD-FR-320-1014	10 ⁹ / ₁₆ x 14 ¹ / ₈ x 1 ¹ / ₄	320	1 ¹ / ₂	4	End	29 ¹ / ₈	67 ¹ / ₄	59 ³ / ₄	336	3,962	
9040-HD-FR-180-1418	14 x 18 x 1 ³ / ₄	180	2 ¹ / ₄	3	Side	28 ³ / ₈	74 ³ / ₄	70 ³ / ₈	220	3,606	
9040-HD-FR-270-0914	Rock 9 ¹ / ₂ x 14 ¹ / ₄ x 1 ³ / ₄	270	2 ¹ / ₄	3	Side	30 ¹ / ₄	74 ³ / ₄	60 ¹ / ₄	310	4,842	
9040-HD-FR-408-0914	Rock 9 ¹ / ₂ x 14 ¹ / ₄ x 1 ³ / ₄	408	2 ¹ / ₄	4	Side	30 ¹ / ₄	83 ¹ / ₄	77 ³ / ₁₆	450	5,280	

Options for tray drying rack: (also see Table DD-1 for additional options)

- A. For depth over 30¹/₈" (up to 34" max) – add 10%
- B. For extra length (up to 18" more) – add 20%
- C. Extra section – add 25%
- D. S/S construction – add 80% (Add “-SS-HD” after model no.)
- E. 6 casters (4 swivel, 2 rigid) – add \$287
- F. Corner bumpers or wrap around bumper
- G. Bottom shelf flat without any guides for storing misc. pots & pans – N/C (will reduce overall capacity of trays being stored)



Heavy duty aluminum tray drying racks for correctional & institutional use

CATALOG PAGES D-30A & D-30B

Heavy duty racks with corrugated shelves

Model Number	Tray/Pan Size (Inches)	Pan Capacity	Pan Spacing (Inches)	Number of Sections	Type of Loading	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
						D	L	H		
9047-264-1013	10 ¹ / ₁₆ x 13 ⁷ / ₈ x 1 ¹ / ₈	264	1 ¹ / ₄	3	Side	24 ³ / ₈	60 ³ / ₈	57	204	\$3,729
9047-264-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	264	1 ¹ / ₄	3	Side	24 ³ / ₈	60 ³ / ₈	59 ³ / ₈	208	3,755
9047-264-1115	11 ⁵ / ₈ x 15 ¹ / ₂ x 3 ¹ / ₄	264	1 ¹ / ₄	3	Side	24 ³ / ₈	60 ³ / ₈	62 ³ / ₈	212	3,773
9047-264-1418	14 x 18	264	1 ¹ / ₄	3	Side	29 ¹ / ₈	60 ³ / ₈	70 ³ / ₁₆	229	3,871
9047-234-1418	14 x 18	234	1 ¹ / ₂	3	Side	26 ³ / ₈	64 ³ / ₈	70 ³ / ₁₆	218	3,623
9047-117-1520	15 x 20	117	1 ¹ / ₂	3	End	26 ³ / ₈	64 ³ / ₈	61 ¹ / ₂	210	3,608
9047-117-1622	16 x 22	117	1 ¹ / ₂	3	End	26 ³ / ₈	64 ³ / ₈	64 ¹ / ₂	213	3,640
9047-117-1826	18 x 26	117	1 ¹ / ₂	3	End	26 ³ / ₈	64 ³ / ₈	70	228	3,623
9047-80-1826	18 x 26	80	1 ¹ / ₂	2	End	26 ³ / ₈	64 ³ / ₈	54 ¹ / ₂	219	3,036
9047-102-1315	13 ⁷ / ₈ x 15 ¹ / ₄ x 2 ¹ / ₂	102	3 ³ / ₁₆	3	Side	28 ³ / ₈	59 ¹ / ₁₆	60 ¹ / ₈	208	3,608
9047-152-1315	(Alladin/Tivoli)	152	3 ³ / ₁₆	4	Side	28 ³ / ₈	66 ¹ / ₁₆	77 ³ / ₁₆	239	4,368
9047-234-1015	10 ³ / ₄ x 15 x 1 ⁹ / ₁₆ (Durahlux T-200)	234	1 ¹ / ₂	3	Side	24 ³ / ₈	64 ¹ / ₂	60 ³ / ₁₆	195	3,694
9047-160-1013	10 ¹ / ₁₆ x 13 ⁷ / ₈	160	1 ¹ / ₄	4	End	29 ¹ / ₈	30 ³ / ₈	60 ³ / ₈	185	3,345
9047-160-1115	11 ⁵ / ₈ x 15 ¹ / ₂	160	1 ¹ / ₄	4	End	29 ¹ / ₈	30 ³ / ₈	64 ¹ / ₈	188	3,397
9047-272-1013	10 ¹ / ₁₆ x 13 ⁷ / ₈	272	1 ¹ / ₄	4	End	29 ¹ / ₈	47 ¹ / ₈	60 ³ / ₈	215	3,787
9047-272-1115	11 ⁵ / ₈ x 15 ¹ / ₂	272	1 ¹ / ₄	4	End	29 ¹ / ₈	47 ¹ / ₈	64 ¹ / ₈	218	3,892
9047-352-1013	10 ¹ / ₁₆ x 13 ⁷ / ₈ x 1 ¹ / ₈	352	1 ¹ / ₄	4	Side	24 ³ / ₈	60 ³ / ₈	73	239	4,368
9047-352-1014	10 x 14 ¹ / ₂ x 1 ⁵ / ₁₆	352	1 ¹ / ₄	4	Side	24 ³ / ₈	60 ³ / ₈	75 ¹ / ₂	242	4,390
9047-40-1220	*12 x 20 x 2 ¹ / ₂	40	3	2	Side	26 ³ / ₈	35 ¹ / ₂	56 ¹ / ₄	165	2,768
9047-78-1220	*12 x 20 x 2 ¹ / ₂	78	3	2	Side	26 ³ / ₈	64 ¹ / ₂	56 ¹ / ₄	180	3,108
9047-100-1220	*12 x 20 x 2 ¹ / ₂	100	3	3	Side/End	26 ³ / ₈	64 ¹ / ₂	69 ¹ / ₈	223	3,658
9047-120-1220	*12 x 20 x 2 ¹ / ₂	120	3	3	Side	26 ³ / ₈	64 ¹ / ₂	78 ¹ / ₈	225	3,673
9047-576-1014	14 x 10 x 1 ¹ / ₄	576	1 ¹ / ₂	4	Side	33	78	74 ¹ / ₄	270	5,070
9047-680-0608	8 ¹ / ₁₆ x 6 ³ / ₈ x 1 ¹ / ₈	680	2	5	Side	28 ³ / ₈	71 ¹ / ₂	73	330	5,595
9047-816-0608	8 ¹ / ₁₆ x 6 ³ / ₈ x 1 ¹ / ₈	816	2	6	Side	28 ³ / ₈	74 ¹ / ₈	73	345	6,179

*Rack will accommodate 4" or 6" deep steam pans & gastronorm (GN 2/1 & GN 1/1) pans. Capacity will vary.

9047 Series racks are also available with aluminum frame & stainless steel corrugated shelves (add "-SS-CR" after model number) or in all stainless steel construction (add "-SS-HD" after model number). Consult factory.

Options for tray drying rack: (also see Table DD-1 for other options)

- | | |
|--|---|
| A. For depth over 30 ¹ / ₈ "(up to 34"max) – add 10% | E. 6 casters (4 swivel, 2 rigid) – add \$287 |
| B. For extra length (up to 18" more) – add 20% | F. Spacing of 2", 2 ¹ / ₂ ", 3 ¹ / ₄ " or 4" for corrugations – N/C |
| C. Extra section – add 25% | G. Bottom shelf flat without any corrugations or guides for storing misc. pots & pans – N/C |
| Note: Overall depth/length/height restrictions apply. Consult factory. | (will reduce overall capacity of trays being stored) |
| D. S/S construction – add 80% | |

Heavy duty adjustable tray drying rack

- All aluminum construction
- Shelves are adjustable (unit is shipped knocked down)

CATALOG PAGE D-33

Model Number	Pan Spacing (Inches)	Pan Capacity	No. of Sections	Pan Size (Inches)	O.A. Dimensions (Inches) W x L x H	Weight (Pounds)	List Price
9040-AS-1826-117	1 ¹ / ₂	117	3	18 x 26	26 ¹ / ₂ x 67 x 72 ¹ / ₄	210	\$3,067
9040-AS-1418-234	1 ¹ / ₂	234	3	14 x 18	29 ¹ / ₂ x 67 x 72 ¹ / ₄	240	3,411
9040-AS-1115-234	1 ¹ / ₂	234	3	10 x 14 ¹ / ₂ 11 x 15 ¹ / ₂	26 ¹ / ₂ x 67 x 72 ¹ / ₄	198	3,067
9040-AS-3-1315	3	Varies	3	up to 2 ³ / ₄ thick	29 ¹ / ₂ x 67 x 72 ¹ / ₄	255	3,411

Other sizes & capacities are also available contact factory.

Options

1. Extra section.....add 25%

List Price

Options

2. 3 sided brace at bottom.....\$287

List Price

For other options, see Table DD-1



9040-AS-1826-117



**TABLE DD-1
OPTIONS FOR RACKS**

		LIST PRICE FOR			
		ALUMINUM MODELS		STAINLESS STEEL MODEL	
1.	Corner bumpers (set of 4)	\$149		\$164	
2.	Vertical leg bumpers (set of 4)	175		193	
3.	Wheel brakes (pair) for 5" or 6" casters	61		61	
4.	Wrap around bumper (single section rack)	269		305	
5.	Wrap around bumper (double section rack)	337		402	
6.	Floor lock (5")	188		249	
7.	Floor lock (6")	215		280	
8.	Floor lock (8")	292		355	
9.	Extra pair of universal angle slides	101		167	
10.	<u>CASTERS UPGRADE (IN LIEU OF 5" STANDARD, SET OF 4)</u>				
	5" Polyurethane	119		119	
	5" Balloon (Decorative)	149		149	
	6" Polyurethane (1,200# Capacity)	184		184	
	6" Heavy Duty Polyurethane (2,000# Capacity)	280		280	
	5" Hi-Temp	221		221	
	6" Balloon	326		326	
	8" Polyurethane	315		315	
	Stationary Legs	280		280	
11.	<u>CASTERS UPGRADE (IN LIEU OF 6" STANDARD, SET OF 4)</u>				
	6" Balloon	236		236	
	8" Balloon	390		390	
	8" Polyurethane	249		249	
12.	Push handle (each)	167		215	
13.	Push handle (each) with 2 donut bumpers	215		272	
14.	Vertical pan stop (each)	147		222	
15.	Anodized finish (universal angle slide rack)	584		N/A	
16.	Anodized finish (other single section rack)	418		N/A	
17.	Anodized finish (double section rack)	P.O.R.		N/A	
18.	Solid base (single section rack)	159		257	
19.	Solid base (double/triple section rack)	278		425	
20.	Drain hole/section	132		165	
21.	Export crating	566		566	
22.	Other Options:				
		Aluminum Racks		Stainless Steel Racks	
		Without Vinyl	*With Vinyl	Without Vinyl	*With Vinyl
	A. Solid top (single section rack)	193	283	325	418
	B. Solid top (double/triple section rack)	303	497	485	669
	C. Solid 2 sides	408	589	634	822
	D. Solid back (single section rack)	195	211	272	425
	E. Solid back (double section rack)	305	372	494	675
	F. Solid back (triple section rack)	421	453	755	1,021

*WALNUT COLOR WOODGRAIN. OTHER COLORS AND FORMICA ARE ALSO AVAILABLE AT ADDITIONAL COST. CONSULT FACTORY.